L Number	Hits	Search Text	DB	Time stamp
–	313	710/4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:19
–	816	710/36	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:30
–	1364	710/107	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:30
–	210	710/313	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:30
–	2451	710/4 or 710/36 or 710/107 or 710/313	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:30
–	476	(710/4 or 710/36 or 710/107 or 710/313) and scsi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:30
–	11	(710/4 or 710/36 or 710/107 or 710/313) and (efficient with scsi)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:33
–	1	(710/4 or 710/36 or 710/107 or 710/313) and (efficient with scsi with (packet$2 or block$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:34
–	3	(efficient with scsi with (packet$2 or block$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:36
–	2	((efficient with scsi with (packet$2 or block$2))) not ((710/4 or 710/36 or 710/107 or 710/313) and (efficient with scsi with (packet$2 or block$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:35
–	422	scsi with (packet$2 or block$2) with (transmission or transfer$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:37
–	136	(scsi with (packet$2 or block$2) with (transmission or transfer$5)) and efficient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:37
–	1	((scsi with (packet$2 or block$2) with (transmission or transfer$5)) same efficient) not ((efficient with scsi with (packet$2 or block$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:38
–	39	packet with scsi with protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 12:54

–	3	broadcast with packet with scsi with protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/28 21:47
–	5	(scsi with (packet$2 or block$2) with (transmission or transfer$5)) same efficient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 12:00
–	0	packet with scsi with protocol with (latency or delay)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 12:55
–	1	packet with scsi with protocol same (latency or delay)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 12:55
–	10	packet with scsi with protocol and (latency or delay)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 12:55·
–	2	("5613076" | "5758109").PN.	USPAT	2003/12/16 16:45
–	9	("4296469" | "4604689" | "4716525" | "4821170" | "4864291" | "5239632" | "5239653" | "5274783" | "5367647").PN.	USPAT	2003/12/16 16:47
–	2	("5613076" | "5758109").PN.	USPAT	2003/12/16 16:48
–	2	5758109.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:10
–	56	scsi with protocol with packet$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:13
–	21	(scsi with protocol with packet$2) with command	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:12
–	5	(scsi with protocol with packet$2 with command$2).ti,clm,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:16
–	16	((scsi with protocol with packet$2) with command) not ((scsi with protocol with packet$2 with command$2).ti,clm,ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:29
–	279	zero adj latency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:30
–	1	(zero adj latency) with scsi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 18:30
–	2	("5613076" | "5758109").PN.	USPAT	2003/12/17 18:32
–	1	6477165.URPN.	USPAT	2003/12/17 18:34

-	371	scsi with packet$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:23
-	0	(scsi with packet$2) with efficient with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:20
-	0	(scsi with packet$2) same (efficient with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:20
-	0	(scsi with packet$2) same (first with second with latency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:21
-	0	(scsi with packet$2) with latency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:21
-	1	(scsi with packet$2) same latency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:23
-	1	(scsi with packet$2) same efficient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:23
-	0	(scsi with efficient with data) same packet$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:24
-	22	scsi with efficient with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:31
-	15	efficient with scsi with (data or packet$2) with transfer$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:40
-	913	zero with latency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:34
-	0	((zero with latency) with first with second) and scsi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:34
-	22	(zero with latency) with first with second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:34
-	3	(efficient with scsi with (data or packet$2) with transfer$5) and latency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 15:40